

**What Is Claimed Is:**

Suba37

1. A method of synchronizing a media stream, comprising:  
streaming media from a media program to a client;  
5 detecting a loss of synchronization in said media stream at a current media  
time index;  
selecting a second time index later in said media than said first media time  
index; and  
attempting to synchronize said media at said second media time index.  
10
2. The method of claim 1, if said attempting to synchronize is  
unsuccessful, repeating said selecting and said attempting a predetermined  
number of times.
- 15 3. The method of claim 2, further comprising terminating said media  
stream if each of said predetermined number of attempts to synchronize is  
unsuccessful.
- 20 4. The method of claim 1, wherein said detecting comprises:  
identifying a current time index of the media program, wherein said  
current time index corresponds to media that should be streamed at said current  
time index; and  
comparing said current time index to a time index of said media actually  
being streamed.  
25
5. The method of claim 4, wherein said selecting a second time index  
comprises adding a predetermined amount of time to said current time index.

6. The method of claim 4, wherein said selecting a second time index comprises adding a predetermined amount of time to said time index of said media actually being streamed.

5

7. The method of claim 4, wherein said attempting to synchronize comprises:

determining whether a portion of the media program corresponding to said second time index is available for streaming at said second time index; and

10

if said media program portion is available for streaming, resuming streaming of the media program at said second time index.

8. A method of resynchronizing a media program streamed to a client from a media server, the method comprising:

15

(a) requesting a first portion of a media program to be streamed to the client, said first media portion corresponding to a first time index of the media program; and

(b) if said first media portion is unavailable for streaming at said first time index, attempting to resynchronize the media program by:

20

(c) selecting a second time index of said media program later than said first time index;

(d) requesting a second portion of the media program corresponding to said second time index;

25

(e) halting streaming of the media program until said second time index; and

(f) if said second media portion is available at said second time index, commencing streaming the media program from said second time

index.

9. The method of claim 8, further comprising:

(g) if said second media portion is unavailable at said second time index, repeating (b) – (f) for a later time index and another media portion corresponding to said later time index.

10. The method of claim 9, wherein said (b) – (f) are repeated a predetermined number of times and, if said resynchronization attempts are unsuccessful each of said predetermined number of times, terminating said streaming.

11. The method of claim 8, wherein the media program is a pre-recorded media program and said requesting comprises scheduling retrieval of a portion of the media program from a storage device.

12. The method of claim 8, wherein said selecting comprises, for a first resynchronization attempt:

determining a current media time index; and

adding a predetermined time increment to said current media time index.

13. The method of claim 12, wherein said selecting comprises, for a subsequent resynchronization attempt:

determining a second current media time index; and

adding a multiple of said predetermined time increment to said second current media time index.

14. The method of claim 8, wherein said halting comprises discarding media data corresponding to a time index prior to said second time index.

15. The method of claim 8, wherein said streaming the media program from said second time index comprises transmitting to the client media from multiple tracks of the media program, wherein said transmitted media corresponds to said second time index.

16. A computer readable storage medium storing instructions that, when executed by a computer, cause the computer to perform a method of synchronizing a media stream, the method comprising:  
streaming media from a media program to a client;  
detecting a loss of synchronization in said media stream at a current media time index;  
selecting a second time index later in said media than said first media time index; and  
attempting to resynchronize said media at said second media time index.

17. A computer readable storage medium storing instructions that, when executed by a computer, cause the computer to perform a method of resynchronizing a media program streamed to a client from a media server, the method comprising:  
(a) requesting a first portion of a media program to be streamed to the client, said first media portion corresponding to a first time index of the media program; and  
(b) if said first media portion is unavailable for streaming at said first time index, attempting to resynchronize the media program by:

(c) selecting a second time index of said media program later than said first time index;

(d) requesting a second portion of the media program corresponding to said second time index;

5 (e) halting streaming of the media program until said second time index; and

(f) if said second media portion is available at said second time index, commencing streaming the media program from said second time index.

10

18. An apparatus for synchronizing a stream of media to a client, comprising:

a stream module configured to control the streaming of a media program to a client;

15

a media time index configured to identify a current time index of the media program, wherein for each said time index a corresponding portion of the media program should be streamed; and

a first track stream module configured to retrieve media for a first track of the media program from a media source;

20

wherein if a first portion of the media program is unavailable for streaming at a first current time index, said stream module:

advances said media time index from said current time index to a future time index;

25

requests said portion of the media program corresponding to said future time index; and

resumes said streaming at said future time index if said requested media program portion is available for streaming at said future time index.

